

Mathematics for New Technologies in Finance

Exercise sheet 8

Exercise 8.1 (Variance swap hedging) For given time horizon T , we consider a market composed by a unique risky asset S , whose dynamics reads

$$S_t = S_0 + \int_0^t S_s \sigma_s dW_s, t \in [0, T],$$

where $S_0 > 0$ and $\sigma = \{\sigma_t\}_{t \in [0, T]}$ is an adapted, strictly positive and bounded process. Assume that the interest rate is constant and equal to 0. The goal of the exercise is price and hedge the random part of a so-called variance swap with maturity T , whose payoff reads as follows:

$$J_T := \frac{1}{T} \int_0^T \sigma_s^2 ds$$

- (a) Using Ito's formula, prove that

$$J_T = \frac{2}{T} [\log(S_0) - \log(S_T)] + \frac{2}{T} \int_0^T \sigma_t dW_t$$

and verify that

$$\frac{2}{T} \int_0^T \sigma_t dW_t = \int_0^T \frac{2}{TS_t} dS_t$$

- (b) Deduce from the previous question a replication strategy for an option with maturity T and with payoff $\frac{2}{T} \int_0^T \sigma_t dW_t$. What is the price of this hedge?
- (c) Assume that European call options with payoff $\log(S_T)$ are liquidly traded in the market, and one of them can be sold at price p . How can you replicate and hedge J_T ? What is the price of this hedge?

Exercise 8.2 (Weighted variance swap) We place ourselves in the context of Exercise 1. Given a continuous weight function $w : \mathbb{R}_+ \rightarrow \mathbb{R}_+$, we consider a (more general) payoff of the form

$$J_T := \frac{1}{T} \int_0^T \sigma_s^2 w(S_s) ds$$

- (a) Define some $k > 0$ the function F such that $F(x) := \int_k^x \int_k^y \frac{2w(z)}{Tz^2} dz dy$. Using Ito's formula, prove that

$$J_T = F(S_T) - F(S_0) - \int_0^T F'(S_t) dS_t.$$

- (b) Is it possible to hedge J_T , without knowing σ , by using cash, Call options, Put options and the risky asset S ? (Hint: you may want to have a look at Carr-Madan formula).

Exercise 8.3 (Pricing in Heston model) Consider a probability space carrying a two-dimensional Brownian motion $\mathcal{B} = (B, W)^T$, and fix a time horizon $T > 0$. The Heston model prescribes a risky asset which follows the following dynamics

$$\begin{cases} S_t = S_0 + \int_0^t r S_s ds + \int_0^t S_s \sqrt{v_s} dB_s, t \geq 0 \\ v_t = v_0 + \int_0^t b(\theta - v_s) ds + \int_0^t \sigma \sqrt{v_s} (\rho dB_s + \sqrt{1 - \rho^2} dW_s), \end{cases}$$

where b, θ, r and σ are positive constants, while $\rho \in [-1, 1]$ is the correlation coefficient. The aim of this exercise is to price an option of the form $g(S_T)$, which corresponds to compute $\mathbb{E}[g(S_T)]$, where g is assumed to be bounded for simplicity.

- (a) Define, for $t \in [0, T]$, $p_t := \mathbb{E}[g(S_T)|\mathcal{F}_t]$. Motivate why p_t is a function of X_t and v_t , in the sense that we can write $p_t = \Psi(t, S_t, v_t)$ for some deterministic function Ψ .
- (b) Consider the two-dimensional process $V := (S, v)^T$. Verify that

$$V_t = V_0 + \int_0^t \begin{pmatrix} r - \frac{1}{2}V_s^2 \\ b(\theta - V_s^2) \end{pmatrix} ds + \int_0^t \sqrt{V_s^2} \begin{pmatrix} 1 & 0 \\ \sigma\rho & \sigma\sqrt{1-\rho^2} \end{pmatrix} d\mathcal{B}_s, t \geq 0,$$

where $V^i, i \in 0, 1$ is the i th component of V .

- (c) Prove that $\Psi(t, S_t, v_t)$ is a martingale.
- (d) Assume that Ψ is smooth in all its variables. Using Ito's formula, derive from the martingale property that Ψ must satisfy the PDE

$$\begin{cases} \frac{\partial \Psi}{\partial t} + (r - \frac{1}{2}v) \frac{\partial \Psi}{\partial x} + b(\theta - v) \frac{\partial \Psi}{\partial v} + \frac{1}{2}v \frac{\partial^2 \Psi}{\partial x^2} + \frac{\sigma^2}{2}v \frac{\partial^2 \Psi}{\partial v^2} + \sigma\rho v \frac{\partial^2 \Psi}{\partial x \partial v} = 0, & \text{on } [0, T) \times \mathbb{R} \times \mathbb{R}_+ \\ \Psi(T, x, v) = g(x) \end{cases}$$

Exercise 8.4 (Learning in SABR model) See notebook 1.